

www.co-ming.com



SHENZHEN COMING TECHNOLOGY CO., LTD.

Tel: +86-755-28462760

E-mail: info@co-ming.com

Add: Shenzhen, China



View Actual
Product Video



G-COMIN

SITE LIGHTING

Your mobile partner for brighter productivity



FS2-150

PT-200

PS-200

TKC-9

PT-200H

2.3m

GD-200

2.2m

GD-300

3.1m

GD-500

5.0m

TL-600

6.0m

TL-500

5.3m

TL-500

4.2m

PL-300

3.4m

TL-300

3.1m

PL-200

2.5m

TL-200

2.3m

TL-400

2.2m

TL-100

1.4m

TL-600

MOBILE LIGHT TOWER

- 6.0 meters
- 105,000 LM
- 10~70 Hours (3 Battery-Powered)
- 1.6~6.0 M
- 82 KG

A Smarter Alternative to Diesel Light Towers


5-Year Total Cost of Ownership (TCO) Trend

Savings Over Diesel Light Tower

TL-600 Battery Light Tower	VS	Traditional Diesel Light Tower
0dB Quiet Operation		Noise Hearing Damage
0 Diesel Cost		Fuel Continuous Cost Increases
0 Carbon Emissions		Fumes Health Threat
0 Maintenance Cost		Maintenance Frequent & Tedious
0 Trailer Cost		Transportation Costly & Inefficient

Remote Lamp Aiming

Aim the lamp head remotely - no lowering or manual adjustment needed



Municipal


Disaster Relief

Quarrying

Power Maintenance

Refining & Petrochemical

Games



◀ 5.3 meters

65,000 LM (AC) / 35,000 LM (Battery)

10~100 Hours (3 Battery-Powered)

1.3~5.3 M

52 KG

◀ 4.2 meters

62,000 LM (AC) / 33,000 LM (Battery)

10~100 Hours (3 Battery-Powered)

1.2~4.2 M

50 KG



TL-500

MOBILE LIGHT TOWER

World's First Lightweight Tower

Operation


Moving

Loading

Transport

One Person Handles Everything

 0dB Quiet Operation	 50Kg-Class Single-Person Rapid Deployment
 0 Diesel Cost	 Triple Wheel + Self-Locking Leg Adapts To All Terrains
 0 Carbon Emissions	 IP65 Weatherproof Wind Resistance Level 8
 0 Maintenance Cost	 Lithium Battery Powered Versatile For Various Sites
 0 Trailer Cost	 Fully Rotatable Head & Adjustable Beam Angle For Versatile Lighting Area



TL-300

PORTABLE LIGHT TOWER

3.1 meters ▶

14,000 LM (AC) /
8,000 LM (Battery)

7~70 Hours
(2 Battery-Powered)

1.3~3.1 M
(10s deploy/fold)

8.2 KG



TL-200

PORTABLE LIGHT TOWER

◀ 2.3 meters

12,000 LM (AC) /
6,000 LM (Battery)

4~44 Hours
(1 Battery-Powered)

1.0~2.3 M
(10s deploy/fold)

6.3 KG

Twin Spotlights


Two focused heads deliver intense light exactly where you need it



FREELY ADJUSTABLE LAMP HEAD




Repair




Military & Security




Tunnel



Maintenance



Railway



Events



PL-300

PETAL LIGHT TOWER

3.4 meters ▶

14,000 LM (AC) /
8,000 LM (Battery)

7~70 Hours
(2 Battery-Powered)

1.6~3.4 M
(10s Deploy/Fold)

9 KG

PL-200

PETAL LIGHT TOWER

◀ 2.5 meters

12,000 LM (AC) /
6,000 LM (Battery)


4~44 Hours
(1 Battery-Powered)

1.3~2.5 M
(10s Deploy/Fold)

6.7 KG



Adjustable 360° Comfortable Lighting




Impact-Resistant

Withstands drops - pick it up and it
keeps working



Emergency Repair



Firefighting



Excavation



Marine Rescue




Filming



Outdoor Events









TL-400

PORTABLE LIGHT TOWER

◀ 2.2 meters





- ☀ 17,000 LM(AC) / 10,000 LM(Battery)
- 🔋 10~100 Hours (3 Battery-Powered)
- ↑↓ 0.65~2.2 M (10s Deploy/Fold)
- 📊 10 KG



PS-200

PORTABLE SITE LIGHT

- 360° Range Lighting
- ☀ 6,000 LM (Battery)
- 🔋 4~44 Hours
- 📊 2 KG



TL-100

PORTABLE LIGHT TOWER

◀ 1.4 meters

- ☀ 4,000 LM (Battery)
- 🔋 4~44 Hours (1 Battery-Powered)
- ↑↓ 0.9~1.4 M (2s Deploy/Fold)
- 📊 3 KG



PT-200

REMOTE CONTROL MAGNETIC PTZ LIGHT

- IP66
- 12,000 LM (Battery)
- 2~20 Hours
- 4.4 KG




30 m
Remote Control






360° Horizontal Rotation



180° Vertical Rotation



Magnetic
Attachment







PT-200H

REMOTE CONTROL PTZ LIGHT

2.3 meters

- 12,000 LM (Battery)
- 5~38 Hours (1 Battery-Powered)
- 1.4~2.3 M (10s Deploy/Fold)
- 9.7 KG



GD-500

◀ 5.0 meters

13.5~450 Hours
(3 Battery-Powered)

1.3~5.0 M

57 KG

Portable ELV Device Stand

GD-300

3.1 meters ▶

6~150 Hours
(2 Battery-Powered)

1.3~3.1 M

9 KG

GD-200

◀ 2.2 meters

3~75 Hours
(1 Battery-Powered)

1.1~2.2 M

6.6 KG

Your ELV Device

Plug and play, unlock your new mobile product line with easy assembly!

 CCTV	 LED Light
 Radar	 WIFI
 Environmental Device	 Surveying Instruments
 Sensor	 Sign & Display
 Warning Light	 Speaker
 Projector	DC 5V/12V More Devices



Accessories

POCKET LIGHT



X3 MagClip Light

Floodlight / Adjustable Color Temperature / Magnetic & Hook Mounting / Red-Blue Warning Modes



T2 Head Light

Spotlight / Floodlight 2 modes, up to 1 week battery life on extreme mode



S3 Flash Light

Flashlight / Work Light / Warning Light 3 modes, waterproof and drop-resistant

BATTERY SOLUTION

24V



D24-100

LFP (Lithium Iron Phosphate) Battery Packs

Powers the LiteGo Series, AutoGo and MateGo Series

24V



D24-500

LFP (Lithium Iron Phosphate) Battery Packs

Powers the TL-500 and GD-500

70V



D70-1000

LFP (Lithium Iron Phosphate) Battery Packs

Powers the TL-600

AC 100~277V CHARGING SOLUTION

24V



MC-1

Lithium Battery Charger

Charges one D24-100 battery pack

24V



MC-2

Dual Bay Charger

Charges two D24-100 battery packs simultaneously

24V



MC-2H

Dual Bay Charger

Charges two D24-500 battery packs simultaneously

24V



TKC-9

Rapid Charger Case
(9 x D24-100 / 3 x D24-500)

Simultaneously charges up to 9 D24-100 or 3 D24-500 battery packs

70V



TKC-3

Backup Case
(3 x D70-1000)

Simultaneously charges up to 3 D70-1000 battery packs



X1-75

AC Driver

LiteGo Series AC direct plug-in accessory



X5-320

AC Driver

TL-500 AC direct plug-in accessory



XVE550

Adapter

TL-600 AC plug-in accessory, charges internal battery simultaneously

70V

SOLAR CHARGING SOLUTION



24V

FS2-40

40W Foldable Solar Panel

Works with all 24V platform products



24V

FS4-100

100W Foldable Solar Panel

Works with all 24V platform products



24V

FS2-150

150W Foldable Solar Panel
(Requires Dedicated MPPT Controller)

Modular solar panel, connects to 24V or 70V MPPT for all products. 70V platform max 750W

70V

S70-150

S70-750

Project Gallery

Construction




Rental



Railway & Highway



Agriculture




Firefighting & Rescue



Utilities



Maintenance



Law Enforcement & Security




Mining



Oil & Gas



Sports



Events & Entertainment

