# RAYTEC PRODUCTS AT A GLANCE

now including





# PRODUCT RANGE AT A GLANCE

#### RAYMAX INFRA-RED



300 SERIES Up to 370m (1,214ft)



200 SERIES Up to 300m (985ft)



150 SERIES Up to 183m (600ft)



100 SERIES Up to 150m (492ft)



50 SERIES Up to 75m (246ft)



25 SERIES Up to 20m (66ft)

# RAYLUX WHITE-LIGHT



300 SERIES Up to 240m (787ft)



200 SERIES Up to 200m (656ft)



150 SERIES Up to 150m (492ft)



100 SERIES Up to 120m (394ft)



50 SERIES Up to 60m (197ft)



25 SERIES Up to 20m (66ft)

# FUSION Low Voltage Lighting



RAYMAX 100 SERIES Up to 150m (492ft)



RAYMAX 50 SERIES Up to 40m (131ft)



RAYMAX 25 SERIES Up to 20m (66ft)



RAYLUX 100 SERIES Up to 100m (328ft)



RAYLUX 50 SERIES Up to 35m (115ft)



RAYLUX 25 SERIES Up to 17m (56ft)

# **VOYAGER**



VOYAGER 2 Capture up to 40m (131ft)



VOYAGER 2 Overview Capture up to 40m (131ft)



VOYAGER 2 LITE Capture up to 18m (98ft)

# **HYBRID**



HYBRID 300 SERIES Up to 300m (984ft)



HYBRID 200 SERIES Up to 210m (367ft)



HYBRID 150 SERIES Up to 150m (492ft)



HYBRID 100 SERIES Up to 105m (343ft)

# SPECIALIST PRODUCTS



# WHY RAYTEC?

# INNOVATION + ILLUMINATION

Raytec manufacture a complete range of lighting solutions for professional CCTV installers – both Infra-Red and White-Light. We also integrate our lighting solutions together with cameras for specialist applications such as Number Plate / Licence Plate Recognition (LPR). Raytec have a track record for delivering innovation in illumination.



# **ADAPTIVE ILLUMINATION™**

Designed for RAYMAX Infra-Red and RAYLUX White-Light illuminators, Adaptive Illumination™ allows the installer to adjust the angle of the light projection from a single unit to fit the specific demands of any installation. Adjustment is quick and convenient and any angle up to 180 degrees (depending on model) is easily selectable. Adaptive Illumination is patent pending technology available exclusively from Raytec.



#### ACTIVE LED LIFE CONTROL

All Raytec illuminators employ cutting edge materials science techniques to improve thermal efficiency throughout the unit and ensure continuity of LED power. The New Advanced Cool Running™ system draws heat away from the LEDs, shielding the LED from abnormal stress, and allows Raytec LED products to deliver outstanding performance and consistency of illumination throughout the operational life of the illuminator.



#### **5 YEAR WARRANTY**

All Raytec CCTV illuminators are provided with a 5 year warranty, unmatched anywhere in the CCTV lighting industry. Raytec illuminators provide guaranteed long life!



SMT (SURFACE MOUNT TECHNOLOGY)




VANDAL RESISTANT



PLATINUM ADVANCED LED TECHNOLOGY



**ENERGY SAVING** 



COMMAND AND CONTROL™ TECHNOLOGY



24-HOUR NUMBER PLATE CAPTURE

# **CAYMAX INFRA-RED**

All Raytec illuminators incorporate the very latest surface mount Light Emitting Diode (LED) technology to deliver excellent night time pictures, with class leading performance and outstanding reliability.

IR - OFF



Product: RM200-AI-10

IR - ON



Distance: 160m+ (524ft)

IR - OFF



Product: RM200-AI-10

IR - ON



Distance: 150m+ (492ft)

# WHY RAYMAX?

# NO LIGHT = NO PICTURE


RAYMAX Infra-Red illuminators are designed to work in conjunction with B&W or Day and Night Cameras providing a light invisible to the human eve but visible to the CCTV camera.

# KFY FFATURES

- Adaptive Illumination<sup>™</sup>
- Latest Surface Mount LED Technology
- Active LED Life Control
- Angles from 10° to 180° +
- Vandal Resistant
- Low Running Cost
- Zero Maintenance



**Benchmark IFSEC Finalist** 





INDUSTRIAL PARK







#### DESIGNED FOR DOMES

# **PLATINUM**<sup>6</sup>

PLATINUM option available on RM300, RM200, RM150 and RM100. Boosts distance by up to 25%



RAYMAX 300 Distance>370m (1,214ft)



RAYMAX 200 Distance>300m (985ft)



RAYMAX 150 Distance>183m (600ft)



RAYMAX 100 Distance>150m (492ft)



RAYMAX 50 Distance>75m (246ft)



RAYMAX 25 Distance>20m (66ft)

# RAYMAX IN ACTION RM300-AI-50 Perfect for Fully Functional Domes

# WHY INFRA-RED?

# NO LIGHT = NO PICTURE

- Invisible to the Human Eye
- No Light Pollution
- Long Distance illumination
- Designed for CCTV
- Low Running Costs
- Zero Maintenance
- Optimise Camera Performance

#### STANDARD PSU

- Adjustable Power
- Adjustable Photocell
- Telemetry Input

#### PREMIUM PSU

As Standard Plus...

- 12V DC Output
- Photocell Following Contact
- Perfect for Day / Night Cameras

#### PREMIUM PLUS TIMER

As Premium plus...

Variable timer

#### PULSED PSU


- Synchronised LED Pulsing with camera
- 12V DC Output
- Adjustable Power



# rayLux WHITE-LIGHT

RAYLUX White Light illuminators incorporate Raytec's Platinum technology as standard delivering superior quick start, low energy, visible illumination perfect for CCTV lighting.

WL - OFF




Product: RL200-Al-10

WL - ON



Distance: 75m (246ft)

WL - OFF



Product: RL100-AI-50

WL - ON



Distance: 30m (98ft)

# WHY RAYLUX?

# NO LIGHT = NO PICTURE

RAYLUX illuminators are designed to work in conjunction with colour CCTV systems providing a visible White Light with accurate colour representation for the CCTV camera.

# **KEY FEATURES**

- Accurate Colour Representation
- Adaptive Illumination<sup>™</sup>
- Latest Surface Mount LED Technology
- Active LED Life Control
- Angles from 10° to 180°+
- Vandal Resistant
- Low Running Cost
- Zero Maintenance

## **APPLICATIONS**

PRISONS

DUMPING

INDUSTRIAL PARK POWER PLANTS

CAR DARK





#### LIGHTING ON DEMAND™

All RAYLUX units can be combined with detection technologies to deliver event activated illumination. Combine with PRT - Premium Timer PSU - for timer control and deterrent lighting options.

# RAYLUX WHITE-LIGHT

# **PLATINUM<sup>6</sup>**

# All RAYLUX products are now powered by PLATINUM technology



RAYLUX 300 Distance>240m (787ft)



RAYLUX 200 Distance>200m (656ft)



RAYLUX 150 Distance>150m (492ft)



RAYLUX 100 Distance>120m (394ft)



RAYLUX 50 Distance>60m (197ft)



RAYLUX 25 Distance>20m (66ft)

# **RAYLUX IN ACTION**



# WHY WHITE-LIGHT?

# NO LIGHT = NO PICTURE

- Optimise Colour Camera Performance
- Achieve Accurate Colour even at Night
- Visible Deterrent to Deter the Criminal
- · Quick Start
- Designed for CCTV
- Low Running Costs
- Zero Maintenance
- Can be Multi Purpose

#### STANDARD PSU

- Adjustable Power
- Adjustable Photocell
- Telemetry Input

#### PREMIUM PSU

As Standard Plus...

- 12V DC Output
- Photocell Following Contact
- Perfect for Day / Night Cameras

#### PREMIUM PLUS TIMER

As Premium plus...

Variable timer

#### **PULSED PSU**

- Synchronised LED Pulsing with camera
- 12V DC Output
- Adjustable Power



# FUSION Low Voltage Lighting

Fusion is a range of low voltage Infra-Red and White-Light Illuminators designed to improve the performance of any camera system at night. It is easy to install, requires zero maintenance and provides ultra long life.






**IR ON** 



**WL OFF** 



WL ON





# WHY FUSION?



- PLATINUM SMT LED Technology
- Distances to 150m (492ft)
- Angles from 10 $^{\circ}$  to 120 $^{\circ}$  +
- 10 Year Life
- No Specialist PSU required
- Vandal Resistant
- Active LED Life Control

## **APPLICATIONS**





HOTELS



HIGH END RESIDENTIAL





Photocell, photocell adjust, power adjust, telemetry control and low voltage power input integrated directly onto every FUSION illuminator no specialist external PSU needed

# **PLATINUM<sup>6</sup>**

## All FUSION products are powered by PLATINUM technology



**RAYMAX 100 FUSION** Distance>150m (492ft)



RAYMAX 50 **FUSION** Distance>40m (131ft)



**RAYMAX 25 FUSION** Distance>20m (66ft)



**RAYLUX 100 FUSION** Distance>100m (328ft)



RAYLUX 50 **FUSION** Distance>35m (115ft)



**RAYLUX 25 FUSION** Distance>17m (56ft)

# COMMAND AND CONTROL™ IN ACTION



- Photo-cell adjust
- Photocell
- Power adjust
- 12/24V AC/DC input

# WHY LOW VOLTAGE?

# NO LIGHT = NO PICTURE

- · Low Voltage for an easy, cost effective and safe installation.
- State of the art LED illumination using the latest diodes and optical techniques to deliver the best possible images at night.
- A full product family with both Infra-Red and White-Light options means there is a FUSION model suitable for any installation.




#### **PLATINUM** ADVANCED SMT LED TECHNOLOGY

PLATINUM illuminators integrate cutting-edge SMT LED technology, light intensification miniature optics and an enhanced Cool Running<sup>™</sup> thermal management system into a single high performance LED. The result is World leading power, reliability and flexibility.



#### ADAPTIVE ILLUMINATION™

Infra-Red and White-Light versions now available





#### ACTIVE LED LIFE CONTROL

All Raytec illuminators employ cutting edge materials science techniques to improve thermal efficiency throughout the unit and ensure continuity of LED power. The New Advanced Cool Running™ system draws heat away from the LEDs, shielding the LED from abnormal stress, and allows Raytec LED products to deliver outstanding performance and consistency of illumination throughout the operational life of the illuminator.




#### **EVEN ILLUMINATION**

High Performance individual LED Optics and holographic diffuser produce an incredibly even light distribution.

# VOYAGER 2 - ANPR/LPR CAMERA

All Voyager systems are designed to capture images of the number plate 24 hours a day without any need for adjustment or re-calibration. This includes both bright sunlight and night-time operation.











VOYAGER 2 Capture up to 40m (131ft)



**VOYAGER 2 Overview** Capture up to 40m (131ft)



VOYAGER 2 LITE Capture up to 18m (98ft)



# WHY VOYAGER?

# **KEY FEATURES**

- 24 hr images of number / licence plate
- Purpose designed for ANPR/LPR
- Speeds up to 100 mph+ (165 kmh)
- Distances up to 40m+ (131ft)
- Ray-Vision<sup>™</sup> Filtering System
- Intelligent Flash
- Dynamic Overview Camera (optional)
- Platinum SMT Technology



#### **APPLICATIONS**

TOLLS




CONGESTION









**VOYAGER 2 WITH DYNAMIC OVERVIEW** 





TRADITIONAL OVERVIEW

NIGHT TIME VOYAGER OVERVIEW

# SPECIALIST APPLICATIONS

# SPECIALIST APPLICATIONS

Raytec are committed to delivering innovative lighting solutions and are happy to discuss your special project requirements.

# PLATINUM<sup>®</sup> HIGH PERFORMANCE



#### WHY GO PLATINUM?

**POWERFUL** 

- Longest Range 1,000m+ (3,280ft) FLEXIBLE
- Widest Angle 180 degrees RELIABLE
- · Longest Life 10 years
- Platinum Hi-Performance Range available in 300, 200, 150 and 100 series

# **HYBRID**

- · Infra-Red for covert surveillance
- White-Light for deterrent
- Distances up to 300m (984ft)



# **EXPLOSION PROTECTED**

- Explosion protected for hazardous areas
- Distances up to 150m (492ft)
- · Available in Infra-Red and White-Light



#### **PAN AND TILT LIGHTING**

- Weight Balanced for pan and tilt systems
- Distances up to 200m (656ft)



#### **PoE LIGHTING**

- Infra-Red & White-Light
- PoE Input (or 12-24V)
- Higher Power Low Énergy
- Internal and External
- Distances up to 60m (197ft)



# Contact us for other Specialist Applications including...











# Illumination for any CCTV application











UK / Europe T: +44 (0) 1670 520055 F: +44 (0) 1670 819760 sales@rayteccctv.com

Americas (Toll Free) T: +1 888 505 8335 ussales@rayteccctv.com

www.rayteccctv.com



**Need more information?** The Raytec pack includes a FUSION Low Voltage Lighting Product Guide and the Complete Guide to CCTV Lighting, plus the Raytec DVD with host of useful footage, images and supporting documents.